

LECTURE 3

COMPILATION

A **compiler**:

- reads source code,
- forms chunks of
 - data (constants, global variables)
 - executable machine code (functions)
- associates a *symbol* to each chunk (variable or function name)
- writes all into an “object” (“.o”) file (format: ELF, COFF, Mach-O)

The compiler leaves blank all *references* to *symbols*
(incl. external symbols like global variables and global functions)

Example

```
#include <stdio.h>

int the_number = -1;

int main()
{
    scanf("%d", &the_number);
    return 0;
}
```

```
...
OBJECT GLOBAL DEFAULT    the_number
...

000000000000000000 <main>:
 0:  48 83 ec 08          sub    rsp,0x8
 4:  be 00 00 00 00      mov    esi,0x0
 9:  bf 00 00 00 00      mov    edi,0x0
 e:  31 c0                xor    eax,eax
10:  e8 00 00 00 00      call  15 <main+0x15>
15:  31 c0                xor    eax,eax
17:  48 83 c4 08          add    rsp,0x8
1b:  c3                  ret
```

Linking

A **linker** reads “object” files and writes an executable file.

- it assigns a position in memory to every chunk of code and data
- it sets the value of the corresponding **symbol** to this position
- it **resolves all references** to **symbols**:

replaces all references with the numeric value of the corresponding position in memory

Example

```
#include <stdio.h>

int the_number = -1;

int main()
{
    scanf("%d", &the_number);
    return 0;
}
```

```
...
54: 000000000040400c      4 OBJECT GLOBAL DEFAULT 24 the_number
...
63: 0000000000401040     28 FUNC   GLOBAL DEFAULT 14 main
...
0000000000401040 <main>:
401040: 48 83 ec 08          sub    rsp,0x8
401044: be 0c 40 40 00      mov    esi,0x40400c
401049: bf 10 20 40 00      mov    edi,0x402010
40104e: 31 c0               xor    eax,eax
401050: e8 db ff ff ff     call  401030 <__isoc99_scanf@plt>
401055: 31 c0               xor    eax,eax
401057: 48 83 c4 08        add    rsp,0x8
40105b: c3                 ret
```

Static and dynamic linking

- Static linking is performed in order to prepare an executable (.exe, ...) file.
- **Dynamic linking** is performed **every time the executable is run**
 - Object files built to be dynamically linked are called
 - shared objects (.so, Linux, MacOS), or
 - dynamically-linked libraries (.dll, Windows)
 - Typically used for
 - System libraries
 - Plugins

Why a separate linking phase?

- Separate linking simplifies compilations
(allows the compiler to write code using functions and variables it has not seen yet)
- It allows us to break down our code into multiple files...
 - that can be compiled separately
- It allows using code written and compiled by other people
 - saves time
 - lets us use closed-source software
- **Dynamic linking** allows us to use system libraries without shipping them
- It reduces the size of executables
- It helps in masking some system incompatibilities
(e.g. run the same .exe on Windows 10 and 11)
- It allows updating system libraries separately

Why a separate linking phase?

- The compiler does not know the code inside external object files
 - it cannot check for mistakes based on that knowledge
 - it cannot optimize code based on that knowledge (at least for dynamic linking)
- Dynamically-linked libraries add complexity
(separate installation, incompatible versions, etc.)

Libraries

Libraries are collections of functions (and data) that can be used by different executables

Examples:

- `libjpeg`: read/write jpeg files
- `libssl`: cryptography
- `BLAS`: fast vector and matrix operations
- `Qt`: cross-platform GUI toolkit

Most languages have a `standard library`

- Distinct from the language itself, but usually necessary in any program
- The C language provides no functions.
(All basic utilities (`strlen`, `printf`, `exit`) come from the standard library.)
- It is normally `dynamically linked`

Optimizing compilers

```
int main()
{
    int r = 0;

    for (int i = 0; i < 1000000; i++)
        r = r + 2;

    return r;
}
```

```
0000000000401020 <main>:
401020:      b8 80 84 1e 00      mov     eax,0x1e8480  # <-- 2,000,000
401025:      c3                 ret
```

Note

“Optimal” = “best”

“Optimizing” = “going towards the best possible result”

Do not say: “I made my code **more optimal**”

Do say: “I **optimized my code some more**”

or

“I **made my code faster**”

OPERATING SYSTEMS

The **operating system (OS)** manages the computer and provides services to applications.

Components:

- The **kernel** handles:
 - most of the boot process (what happens upon power on)
 - memory allocation and sharing
 - input/output devices, through “drivers” (often dynamically loaded)
 - application coexistence and cooperation
- Optionally:
 - **Standard libraries** for some languages (C, C++, .NET, Swift, ...)
 - Some additional common **libraries**
 - User interface (UI): command-line (CLI), graphical (GUI)
 - Some tools: CLI utilities, compilers, settings/configuration apps

Popular OSs:

- Windows
- MacOS, iOS (base OS: Darwin, kernel: XNU)
- Android, SteamOS (kernel: Linux)

Other current OSs:

- Debian, Ubuntu, Suse, Fedora, Arch, RHEL, AL2 (base OS: GNU, kernel: Linux)
- FreeBSD, OPNsense, TrueNAS, pfSense (base OS & kernel: FreeBSD)
- OpenBSD

All the above except Windows are descendants from “Unix”

```
FILE *f = fopen("my_file.txt", "r");
```

On my system:

- `fopen()` is part of the **standard library**
- `fopen()` calls Unix-specific `open()`, also in the **standard library**
- `open()` is a wrapper for the `open` system call in the **Linux kernel**

```
# open("my_file.txt", O_RDONLY);  
mov rdi, 0x402010 # pointer to "my_file.txt"  
mov rsi, 0x0     # O_RDONLY == 0  
mov rax, 2       # open is syscall #2  
syscall
```

- the **Linux kernel** uses its filesystem and SSD drivers to open the file
- it returns a file descriptor (`int`)
- `fopen()` allocates a structure with buffers and the file descriptor, returns it

Levels of abstraction

- the processor only does elementary operations (move 64-bit to/from memory)
- the **kernel** implements basic functionality (managing devices, reading data from a file)
- the **standard library** provides more, **OS**-independent functionality (buffering, parsing data)
- other **libraries** may allow even more (e.g. decompressing a video file)

MEMORY (AGAIN)

Recall this example:

```
#include <stdio.h>

int the_number = -1;

int main()
{
    scanf("%d", &the_number);
    return 0;
}
```

```
...
54: 000000000040400c    4 OBJECT GLOBAL DEFAULT 24 the_number
...
63: 0000000000401040   28 FUNC   GLOBAL DEFAULT 14 main
...
0000000000401040 <main>:
401040: 48 83 ec 08          sub    rsp,0x8
401044: be 0c 40 40 00       mov    esi,0x40400c
401049: bf 10 20 40 00       mov    edi,0x402010
40104e: 31 c0                xor    eax,eax
401050: e8 db ff ff ff      call  401030 <__isoc99_scanf@plt>
401055: 31 c0                xor    eax,eax
401057: 48 83 c4 08          add    rsp,0x8
40105b: c3                  ret
```

Memory is virtualized

- every process sees memory as if it was alone
- every time a process accesses memory, the hardware translates the virtual address into a hardware address
- the translation uses a *page table* managed by the **kernel**

Page table (managed by the **kernel**):

page	virtual address	hardware address
0	0 – 4095	65536 – 69631
1	4096 – 8191	20480 – 24575
2	8192 – 12287	4096 – 8191
...

x86_64

```
mov eax, DWORD PTR [4100]
```

AArch64

```
ldr w0, [4100]
```

- the processor looks up virtual address 4100 in the page table
- it finds page 1, base 4096, plus offset 4
- page 1 has hardware address 20480
- the memory access is at hardware address $20480 + 4 = 20484$

Page table

- the page table itself is in memory!
- at a specific hardware address
- various techniques to make page lookup faster (it is a tree, with a cache)

Memory allocation

- the **kernel** finds free hardware addresses (unused by any process)
- for the virtual addresses:
 - either the process request specific virtual addresses
 - or the **kernel** finds free virtual addresses (unused by this process)
- the **kernel** adds suitable entries in the page table
- the **kernel** returns the virtual address to the process

Virtual memory

Cons:

- slow!
- memory sharing between processes must be (initially) mediated by the **kernel**

Pros:

- simplifies memory management for the process
- enables process separation (a process cannot snoop on or crash another)
- enables fast move for large chunks of memory (just update the page table)
- allows fast input/output on devices
(non-memory devices can be mapped to virtual addresses)
- allows extending memory:
 - using storage devices (“swap”)
 - using compression
 - using overcommit

Stack


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f1(): allocate 2 x uint64_t


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f1(): call f2


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f2(): allocate 1 x uint64_t


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f2(): call f3()


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f3(): return (to f2())


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f2(): return (to f1())


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f1(): call f3()


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f3(): return (to f1())



```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



f1(): return


```
void f1(void)
{
    uint64_t a, b;

    f2();
    f3();
}
```

```
void f2(void)
{
    uint64_t c;

    f3();
}

int f3(void)
{
}
```



Back to initial state

Stack pointer

- **x86_64**: rsp (by convention – rsp is a general register)
- **AArch64**: sp (mandatorily – sp is a special register)
- In both cases, the stack actually grows downwards
- Default stack size on **Linux**: 8 MB
 - theoretical max recursion depth: 1,000,000

Heap

All the memory that is not on stack is sometimes called the “heap”.

TOOLS

- Windows Subsystem for Linux
- Basics
 - cd, ls, less
 - TAB completion
 - command-line parameters, -h
 - man
- package management
 - Debian/Ubuntu: apt-get
 - Fedora/Suse: dnf
 - MacOS: brew
 - Windows: winget

